



NOTES:

- 1. (*) SEAL PLATE PROVIDED WITH ALL BARESTEM VALVES, AND USED WITH ALL PURCHASED OPERATORS
- 2. OPERATOR FLANGE COMPLIES WITH MSS/ISO SP-101 FA16
- 3. OPERATOR SHAFTS OF VALVES PURCHASED WITHOUT M&H OPERATORS COMPLY WITH MSS/ISO SP-101 FA16 SHAFT LENGTH & KEYWAY ENGAGENTS

4. (**) SEAL PLATE HEX NUTS ARE ONLY SUPPLIED WITH BARESTEM VALVES, TO RETAIN THE SEAL PLATE AND V-RING PACKING. THE HEX BOLTS ARE USED FOR THIS, BUT ARE ALSO SUPPLIED WITH OPERATORS.

ITEM	DESCRIPTION		MATERIAL	
1	OPERATOR SHAFT		304 STAINLESS STEEL, ASTM A276	
2	V-RING PACKING		EPDM & BUNA-N	
3	UPPER JOURNAL BEARING		NYLATRON	
4	BUTTERFLY VALVE BODY		DUCTILE IRON, ASTM A-536	
5	VANE RING HEXHEAD CAP SCREWS		304 STAINLESS STEEL	
6	VANE SEAT RING		EPDM W/ STAINLESS STEEL INSERT	
7	BODY SEAT RING		316 STAINLESS STEEL	
8	BODY O-RING		EPDM	
9	LOWER JOURNAL BEARING		NYLATRON	
10	THRUST SHAFT		304 STAINLESS STEEL, ASTM A276	
11	THRUST BEARING FLAT HEAD		304 STAINLESS STEEL	
12	THRUST BEARING		BRONZE	
13	BODY END PLUG		STEEL	
14	BODY END PLUG O-RING		EPDM	
15	VANE		DUCTILE IRON, ASTM A-536	
16	VANE SHAFT TORGE PLUG		304 STAINLESS STEEL	
17	SEAL PLATE NUT **		304 STAINLESS STEEL	
18	SEAL PLATE *		STEEL	
19	SEAL PLATE BOLT		304 STAINLESS STEEL	
THIS DWG. AND ALL INFORMATION IS OUR PROPERTY AND SHALL NOT BE USED, COPIED, OR REPRODUCED WITHOUT WRITTEN CONSENT. DESIGN AND INVENTION RIGHTS RESERVED.				
M&H VALVE COMPANY CTJ DATE: CTJ 06/28/2024]4	14"-24" AWWA C504 C150 BUTTERFLY VALVE ISO STYLE BODY SUB-ASM MATERIAL LIST	
A DIVISION OF MCWANE INC. 405 WEST 23RD STREET ANNISTON, ALABAMA 36202 BBBBIX 1-1111				